

TEST REPORT

Report No.: **2510310055**

Page 1 of 4
Date: 06-11-2025

Issued To:

M/s GOYAL INC

KHASRA NO. 1883/1884/1885, DELHI SAHARANPUR NH 709 B,
VILLAGE KATHA, KHEKHRA RURAL, BHAGHPAT 250101

Sample Description : ALUMINIUM PIPE
Sample Received Date : 31-10-2025
Sample Drawn By : Client
Specification : --
Test Requested : RoHS 10 ELEMENT (Pb,Cd,Hg,Cr6,PBB,PBDE,Phthalates)
Test Method : Refer to Attached Pages.
Test Result : Refer to Attached Pages.

SAMPLE PICTURE



Authentication: To Check authenticity of Test report (s), Scan QR code to get original data.



BIS, DGQA & Various Govt. Approved Laboratory

ISO 9001 : 2015, ISO 14001:2015 & OHSAS 18001:2007 Certified Laboratory

1. Sample will not be retained more than one month for chemical and three month for mechanical unless specified instructed. 2. Samples analysis conducted on as received basis and followed by customer description, unless specified otherwise. 3. The laboratory will not be liable for sample destroy/damage during testing, unless instructed otherwise. 4. Any Complaints matter about this report should be communicated in written, within 7 days of issue of this report. 5. The result listed refer only to the tested samples and applicable parameters as described by customer. Endorsement of product is neither inferred nor implies. 6. Total liability of our laboratory is limited to the invoiced amount only. 7. This report cannot be used as and evidence in a court of law without the written approval of the laboratory.

MSF 5.10.01



TEST REPORTReport No.: **2510310055**Page 2 of 4
Date: 06-11-2025**I. Chemical****1.****RoHS 10 ELEMENT (Pb,Cd,Hg,Cr6,PBB,PBDE,Phthalates)****Test performed on : 03-11-2025 to 06-****11-2025**

TEST PARAMETER	TEST METHOD	MDL (mg/kg)	RESULTS (mg/kg)	LIMIT (mg/kg)
Lead (as Pb) (CAS No. 7439-92-1)	IEC 62321-5:2013,	1.0	ND	Max 1000.0
Cadmium (as Cd) (CAS No. 7440-43-09)	IEC 62321-5:2013,	1.0	ND	Max 100.0
Mercury (as Hg) (CAS No. 7439-97-6)	IEC 62321-4:2013	2.0	ND	Max 1000.0
Hexa Chromium (as Cr+6) (CAS No. 10588-01-9)	IEC 62321-7-2:2017	1.0	ND	Max 1000.0
Sum of PBBs (Mono to Deca)				Max 1000.0
Monobromobiphenyl (CAS No. 92-52-4)	IEC 62321-6:2015 test performed by GC-MS	5.0	ND	
Dibromobiphenyl (CAS No. 92-86-4)	IEC 62321-6:2015 test performed by GC-MS	5.0	ND	
Tribromobiphenyl (CAS No. 59080-34-1)	IEC 62321-6:2015 test performed by GC-MS	5.0	ND	
Tetrabromobiphenyl (CAS No. 40088-45-7)	IEC 62321-6:2015 test performed by GC-MS	5.0	ND	
Pentabromobiphenyl (CAS No. 56307-79-0)	IEC 62321-6:2015 test performed by GC-MS	5.0	ND	
Hexabromobiphenyl (CAS No. 59080-40-9)	IEC 62321-6:2015 test performed by GC-MS	5.0	ND	
Heptabromobiphenyl (CAS No. 35194-78-6)	IEC 62321-6:2015 test performed by GC-MS	5.0	ND	
Octabromobiphenyl (CAS No. 6188-13-9)	IEC 62321-6:2015 test performed by GC-MS	5.0	ND	
Nonabromobiphenyl (CAS No. 27753-52-2)	IEC 62321-6:2015 test performed by GC-MS	5.0	ND	
Decabromobiphenyl (CAS No. 13654-09-6)	IEC 62321-6:2015 test performed by GC-MS	5.0	ND	

Authentication: To Check authenticity of Test report (s), Scan QR code to get original data.**BIS, DGQA & Various Govt. Approved Laboratory****ISO 9001 : 2015, ISO 14001:2015 & OHSAS 18001:2007 Certified Laboratory**

1. Sample will not be retained more than one month for chemical and three month for mechanical unless specified instructed. 2. Samples analysis conducted on as received basis and followed by customer description, unless specified otherwise. 3. The laboratory will not be liable for sample destroy/damage during testing, unless instructed otherwise. 4. Any Complaints matter about this report should be communicated in written, within 7 days of issue of this report. 5. The result listed refer only to the tested samples and applicable parameters as described by customer. Endorsement of product is neither inferred nor implies. 6. Total liability of our laboratory is limited to the invoiced amount only. 7. This report cannot be used as and evidence in a court of law without the written approval of the laboratory.

MSF 5.10.01

TEST REPORT

Page 3 of 4

Report No.: 2510310055

Date: 06-11-2025

TEST PARAMETER	TEST METHOD	MDL (mg/kg)	RESULTS (mg/kg)	LIMIT (mg/kg)
Sum of PBDEs (Mono to Deca)				Max 1000.0
Monobromodiphenyl ether (CAS No. 101-55-3)	IEC 62321-6:2015 test performed by GC-MS	5.0	ND	
Dibromodiphenyl ether (CAS No. 205047-7)	IEC 62321-6:2015 test performed by GC-MS	5.0	ND	
Tribromodiphenyl ether (CAS No. 49690-94-0)	IEC 62321-6:2015 test performed by GC-MS	5.0	ND	
Tetrabromodiphenyl ether (CAS No. 40088-47-9)	IEC 62321-6:2015 test performed by GC-MS	5.0	ND	
Pentabromodiphenyl ether (CAS No. 32534-81-9)	IEC 62321-6:2015 test performed by GC-MS	5.0	ND	
Hexabromodiphenyl ether (CAS No. 36483-60-0)	IEC 62321-6:2015 test performed by GC-MS	5.0	ND	
Heptabromodiphenyl ether (CAS No. 68928-80-3)	IEC 62321-6:2015 test performed by GC-MS	5.0	ND	
Octabromodiphenyl ether (CAS No. 32536-52-0)	IEC 62321-6:2015 test performed by GC-MS	5.0	ND	
Nonabromodiphenyl ether (CAS No. 63936-56-1)	IEC 62321-6:2015 test performed by GC-MS	5.0	ND	
Decabromodiphenyl ether (CAS No. 1163-19-5)	IEC 62321-6:2015 test performed by GC-MS	5.0	ND	

Authentication: To Check authenticity of Test report (s), Scan QR code to get original data.



BIS, DGQA & Various Govt. Approved Laboratory

ISO 9001 : 2015, ISO 14001:2015 & OHSAS 18001:2007 Certified Laboratory

1. Sample will not be retained more than one month for chemical and three month for mechanical unless specified instructed. 2. Samples analysis conducted on as received basis and followed by customer description, unless specified otherwise. 3. The laboratory will not be liable for sample destroy/damage during testing, unless instructed otherwise. 4. Any Complaints matter about this report should be communicated in written, within 7 days of issue of this report. 5. The result listed refer only to the tested samples and applicable parameters as described by customer. Endorsement of product is neither inferred nor implies. 6. Total liability of our laboratory is limited to the invoiced amount only. 7. This report cannot be used as and evidence in a court of law without the written approval of the laboratory.

MSF 5.10.01



TEST REPORT

Page 4 of 4

Report No.: 2510310055

Date: 06-11-2025

TEST PARAMETER	TEST METHOD	MDL (mg/kg)	RESULTS (mg/kg)	LIMIT (mg/kg)
Phthalates				
Di-ethylhexylphthalate (DEHP) (CAS No. 117-81-7)	IEC 62321-8:2017 test performed by GC-MS	30.0	ND	Max 1000.0
Benzylbutylphthalate (BBP) (CAS No. 85-68-7)	IEC 62321-8:2017 test performed by GC-MS	30.0	ND	Max 1000.0
Dibutylphthalate (DBP) (CAS No. 84-74-2)	IEC 62321-8:2017 test performed by GC-MS	30.0	ND	Max 1000.0
Di-isobutylphthalate (DIBP) (CAS No. 84-69-5)	IEC 62321-8:2017 test performed by GC-MS	30.0	ND	Max 1000.0

Note:

1. The maximum permissible limits are quoted from the European Parliament and Council Directive 2005/84/EC(amending Directive 2015/863 amending annex. II to Directive 2011/65/EU).
2. MDL = Method detection limits
3. N.D.= Not detected at the detection limits.
4. mg/kg = ppm (parts per million); 0.1wt% = 1000ppm
5. Lead content more than 85% in its alloys (Tin-Lead solder alloys) are exempted as per directives 2002/95/EC, Annexure article-7.

-----End of Report-----



Vipin Kumar
SR. ANALYST

Authorised Signatory



Authentication: To Check authenticity of Test report (s), Scan QR code to get original data.

BIS, DGQA & Various Govt. Approved Laboratory
ISO 9001 : 2015, ISO 14001:2015 & OHSAS 18001:2007 Certified Laboratory

1. Sample will not be retained more than one month for chemical and three month for mechanical unless specified instructed. 2. Samples analysis conducted on as received basis and followed by customer description, unless specified otherwise. 3. The laboratory will not be liable for sample destroy/damage during testing, unless instructed otherwise. 4. Any Complaints matter about this report should be communicated in written, within 7 days of issue of this report. 5. The result listed refer only to the tested samples and applicable parameters as described by customer. Endorsement of product is neither inferred nor implies. 6. Total liability of our laboratory is limited to the invoiced amount only. 7. This report cannot be used as and evidence in a court of law without the written approval of the laboratory.

MSF 5.10.01

